

Cornell Cooperative Extension Eelgrass Bibliography 2007

1. Abdelrhman, M.A., 2003. Effects of eelgrass *Zostera marina* canopies on flow and transport. Marine Ecology Progress Series 248: 67-83.
2. Ackerman, J.D., 1993. Pollen germination and pollen tube growth in the marine angiosperm, *Zostera marina* L. Aquatic Botany 46: 189-202.
3. Ackerman, J.D., 1997. Submarine pollination in the marine angiosperm *Zostera marina* (Zosteraceae). I. The influence of floral morphology on fluid flow. American Journal of Botany 84(8): 1099-1109.
4. Ackerman, J.D., 1997. Submarine pollination in the marine angiosperm *Zostera marina* (Zosteraceae). II. Pollen transport in flow fields and capture by stigmas. American Journal of Botany 84(8): 1110-1119.
5. Adamson, B.A., 1982. Seasonal variation of carbon uptake and translocation by eelgrass (*Zostera marina* L.) in Great South Bay, New York. MS Thesis SUNY Stony Brook.
6. Addy, C.E. and D.A. Aylward, 1944. Status of eelgrass in Massachusetts during 1943. The Journal of Wildlife Management 8(4): 269-275.
7. Alberte, R.S., G.K. Suba, G. Procaccini, R.C. Zimmerman, and S. R. Fain, 1994. Assessment of genetic diversity of seagrass populations using DNA fingerprinting: Implications for population stability and management. Proceedings of the National Academy of Sciences, USA 91: 1049-1053.
8. Alexandre, A., S. Cabaco, R. Santos and E.A. Serrao, 2006. Timing and success of reproductive stages of the seagrass *Zostera noltii*. Aquatic Botany 85: 219-223.
9. Alexandre, A., S. Cabaco, R. Santos, and E.A. Serrao, 2006. Timing and success of reproductive stage in the seagrass *Zostera noltii*. Aquatic Botany 85: 219-223.
10. Allen, B.J. and S.L. Williams, 2003. Native eelgrass *Zostera marina* controls growth and reproduction of an invasive mussel through food limitation. Marine Ecology Progress Series 254: 57-67.
11. Asmus, H. and R. Asmus, 2000. ECSA-Workshop on intertidal seagrass beds and algal mats: Organisms and fluxes at the ecosystem level. Helgolander Marine Research 54: 53-54.
12. Backman, T.W. and D.C. Barilotti, 1976. Irradiance Reduction: Effects on standing crops of the eelgrass *Zostera marina* in a coastal lagoon. Marine Biology 34: 33-40.
13. Baden, S., M. Gullstrom, B. Lunden, L. Pihl, and R. Rosenberg, 2003. Vanishing seagrass (*Zostera marina*, L.) in Swedish coastal waters. Ambio 32(5): 374-377.
14. Balestri, E., F. Cinelli, and C. Lardicci, 2003. Spatial variation in *Posidonia oceanica* structural, morphological and dynamic features in a northwestern Mediterranean coastal area: a multi-scale analysis. Marine Ecology Progress Series 250: 51-60. [Biology & Physiology]
15. Balestri, E., L. Piazzi, and F. Cinelli, 1998. Survival and growth of transplanted and natural seedlings of *Posidonia oceanica* (L.) Delile in a damaged coastal area. Journal of Experimental Marine Biology and Ecology 228: 209-225.s

16. Bandeira, S.O. and P.G. Nilsson, 2001. Genetic population structure of the seagrass *Thalassodendron ciliatum* in sandy and rocky habitats in southern Mozambique. Marine Biology ??????????
17. Barko, J.W. and R.M. Smart, 1986. Sediment-related mechanisms of growth limitation in submersed macrophytes. Ecology 67(5): 1328-1340.
18. Barnes, D.K.A., 2003. Local, regional and global patterns of resource use in ecology: hermit crabs and gastropod shells as an example. Marine Ecology Progress Series 246: 211-223.
19. Beck-Nielsen, D. and T.V. Madsen, 2001. Occurrence of vesicular-arbuscular mycorrhiza in aquatic macrophytes from lakes and streams. Aquatic Botany 71: 141-148.
20. Beer, S., B. Vilenkin, A. Weil, M. Veste, L. Susel, and A. Eshel, 1998. Measuring Photosynthetic rates in seagrasses by pulse amplitude modulated (PAM) fluorometry. Marine Ecology Progress Series 174: 293-300.
21. Bell, R.G., T.M. Hume, T.J. Dolphin, M.O. Green, and R.A. Walters, 1997. Charcterisation of physical environmental factors on an intertidal sandflat, Manukua Harbor, New Zealand. Journal of Experimental Marine Biology and Ecology 216: 11-31.
22. Bell, S.S., B.D. Robbins, and S.L. Jensen, 1999. Gap Dynamics in a seagrass landscape. Ecosystems 2: 493-504.
23. Bernard, G., P. Bonhomme and C.F. Boudouresque, 2005. Recovery of the seagrass *Zostera marina* in a disturbed Mediterranean lagoon (Etang de Berre, Bouches-du-Rhone, Southern France). Hydrobiologia 539: 157-161.
24. Bester, K. and H. Huhnerfuss, 1993. Triazines in the Baltic and North Sea. Marine Pollution Bulletin 26(8): 423-427.
25. Bester, K., 2000. Effects of pesticides on seagrass beds. Helgolander Marine Research 54: 95-98.
26. Biber, P.D., 2006. Hydroponic versus rooted growth of *Zostera marina* L. (Eelgrass). Hydrobiologia 568: 489-492.
27. Billingham, M.R., T.B.H. Reusch, F. Alberto, and E.A. Serrao, 2003. Is asexual reproduction more important at geographical limits? A genetic study of the seagrass *Zostera marina* in the Ria Formosa, Portugal. Marine Ecology Progress Series 265: 77-83.
28. Bintz, J.C. and S.W. Nixon, 2001. Responses of eelgrass *Zostera marina* seedlings to reduced light. Marine Ecology Progress Series 223: 133-141.
29. Bishop, M.J., C.H. Peterson, H.C. Summerson and D. Gaskill, 2005. Effects of harvesting methods on sustainability of a bay scallop fishery: dredging uproots seagrass and displaces recruits. Fishery Bulletin 103: 712-719.
30. Boese, B.L., 2002. Effects of recreational clam harvesting on eelgrass (*Zostera marina*) and associated infaunal invertebrates: in situ manipulative experiments. Aquatic Botany 73: 63-74.
31. Bologna, P.A.X. and K.L. Heck Jr., 1999. Macrofaunal associations with seagrass epiphytes: Relative importance of trophic and structural characteristics. Journal of Experimental Marine Biology and Ecology 242: 21-39.

32. Borum, J., C.M. Duartes, D. Krause-Jensen and T.M. Greve, 2004. European seagrasses: an introduction to monitoring and management. M&MS Project pp. 95.
33. Borum, T., 1985. Development of epiphytic communities on eelgrass (*Zostera marina*) along a nutrient gradient in a Danish Estuary. *Marine Biology* 87: 211-218.
34. Bostrom, C., E. Bonsdorff, P. Kangas, and A. Norkko, 2002. Long-term changes of a brackish-water eelgrass (*Zostera marina* L.) community indicate effects of coastal eutrophication. *Estuarine, Coastal and Shelf Science* In Press.
35. Bradley, M.P. and M.H. Stolt, 2006. Landscape-level seagrass-sediment relations in a coastal lagoon. *Aquatic Botany* 84: 121-128.
36. Brun, F.G., J.J. Vergara, G. Navarro, I. Hernandez, and J.L. Perez-Llorens, 2003. Effects of shading by *Ulva rigida* canopies on growth and carbon balance of the seagrass *Zostera noltii*. *Marine Ecology Progress Series* 265: 85-96.
37. Brush, M.J. and S.W. Nixon, 2002. Direct measurement of light attenuation by epiphytes on eelgrass *Zostera marina*. *Marine Ecology Progress Series* 238: 73-79.
38. Bryars, S and V. Neverauskas, 2004. Natural recolonization of seagrasses at a disused sewage sludge outfall. *Aquatic Botany* 80:283-289.
39. Buchsbaum, R.N., F.T. Short, and D.P. Cheney, 1990. Phenolic-nitrogen interactions in eelgrass, *Zostera marina* L.: possible implications for disease resistance. *Aquatic Botany* 37: 291-297.
40. Bullock, J.M., 2000. Gaps and seedling colonization. In *Seeds: The Ecology of Regeneration in Plant Communities*, 2nd Edition (ed., M. Fenner), CAB International.
41. Burdick, D.M. and F.T. Short, 1999. The effects of boat docks on eelgrass beds in coastal waters of Massachusetts. *Environmental Management* 23(2): 231-240.
42. Burdick, D.M., F.T. Short, and J. Wolf, 1993. An index to assess and monitor the progression of wasting disease in eelgrass *Zostera marina*. *Marine Ecology Progress Series* 94: 83-90.
43. Burkholder, J.M., K.M. Mason, and H.B. Glasgow, Jr, 1992. Water-column enrichment promotes decline of eelgrass *Zostera marina*: evidence from seasonal mesocosm experiments. *Marine Ecology Progress Series* 81: 163-178.
44. Burkholder, P.R. and T.E. Doheny, 1968. The Biology of Eelgrass: with special reference to Hempstead and South Oyster Bays, Nassau County, Long Island, New York. *Dept. of Conservation and Waterways, Town of Hempstead, Long Island Contribution No. 3*.
45. Cardosa, P.G., M.A. Pardal, A.I. Lillebo, S.M. Ferreira, D. Raffaelli, and J.C. Marques, 2004. Dynamic changes in seagrass assemblages under eutrophication and implications for recovery. *Journal of Experimental Marine Biology and Ecology* In Press.
46. Carlton, J.T., G.J. Vermeij, D.R. Lindberg, D.A. Carlton, and E.C. Dudley, 1991. The first historical extinction of a marine invertebrate in an ocean basin: The demise of the eelgrass limpet *Lottia alveus*. *Biological Bulletin* 180: 72-80.
47. Cebrián, J. and C.M. Duarte, 1998. Patterns in leaf herbivory on seagrasses. *Aquatic Botany* 60: 67-82.

48. Chambers, J.C. and J.A. MacMahon, 1994. A day in the life of a seed: Movements and fates of seeds and their implications for natural and managed systems. Annual Review of Ecology and Systematics 25: 263-292.
49. Chambers, P.A., R.E. DeWreede, E.A. Irlandi, and H. Vandermeulen, 1999. Management issues in aquatic macrophyte ecology: a Canadian perspective. Canadian Journal of Botany 77: 471-487.
50. Chavanich, S. And L.G. Harris, 2002. The influence of the macroalgae on seasonal abundance and feeding preference of a subtidal snail, *Lacuna vincta* (Montagu) (Littorinidae) in the Gulf of Maine. Journal of Molluscan Studies 68:73-78.
51. Cho, H.J. and M.A. Poirier, 2005. Seasonal growth and reproductiond of *Ruppia maritima* L. s.l. in Lake Pontchartrain, Louisiana, USA. Aquatic Botany 81: 37-49.
52. Churchill, A.C. and M.I. Riner, 1978
53. Churchill, A.C., 1983. Field studies on seed germination and seedling development in *Zostera marina* L. Aquatic Botany 16: 21-29.
54. Churchill, A.C., 1992. Growth characteristics of *Zostera marina* seedlings under anaerobic conditions. Aquatic Botany 43: 379-392.
55. Churchill, A.C., A.E. Cok and M.I. Riner, 1978. Stabilization of subtidal sediments by the transplantation of the seagrass *Zostera marina* L. NYSSGP-RS-78-15.
56. Churchill, A.C., G. Nieves and A.H. Brenowitz, 1985. Flotation and dispersal of eelgrass seeds by gas bubbles. Estuaries 8(4): 352-354.
57. Clark, J.S., C. Fastie, G. Hurtt, S.T. Jackson, et al., 1998. Reid's paradox of rapid plant migration. Bioscience 48: 13-24.
58. Clayton, J.S., and D.J. Bagyaraj, 1984. Vesicular-arbuscular mycorrhizas in submerged aquatic plants of New Zealand. Aquatic Botany 19: 251-262.
59. Coleman, F.C. and S.L. Williams, 2002. Overexploiting marine ecosystem engineers: potential consequences for biodiversity. Trends in Ecology and Evolution 17(1): 40-44.
60. Conacher, C.A., I.R. Piner, J. Butler, S. Pun and D.J. Tree, 1994. Germination, storage and viability testing of seeds of *Zostera capricorni* Aschers. From a tropical bay in Australia. Aquatic Botany 49: 47-58.
61. Conrad, H.S., 1935. The plant associations of central Long Island: A study in descriptive plant sociology. The American Midland Naturalist 16(4): 433-516
62. Cosper, E.M., W.C. Dennison, E.J. Carpenter, V.M. Bricelj, J.G. Mitchell, S.H. Kuenstner, D. Colflesh, and M. Dewey, 1987. Recurrent and persistent Brown Tide blooms perturb coastal marine ecosystem. Estuaries 10(4):284-290. [Algae]
63. Cosper, E.M., W.C. Dennison, E.J. Carpenter, V.M. Bricelj, J.G. Mitchell, S.H. Kuenstner, D. Colflesh and M. Dewey, 1987. Recurrent and persisten Brown Tide blooms perturb coastal marine ecosystems. Estuaries 10(4): 284-290.
64. Cottam, C., 1935. The present situation regarding eelgrass (*Zostera marina*). Wildlife Research and Management Leaflet BS-3, U.S. Dept. of Agriculture, Bureau of Biological Survey, Washington, D.C. 7pp.

65. Cottam, C., 1938. Status of eelgrass (*Zostera marina*) on the North Atlantic coast, February 1938. Wildlife Research and Management Leaflet BS-110, U.S. Dept. of Agriculture, Bureau of Biological Survey, Washington, D.C. 7pp.
66. Cottam, C., 1945. Eelgrass conditions along the Atlantic seaboard of North America. The Plant Disease Reporter 29(12): 302-310.
67. Crawley, M.J., 2000. Seed predation and plant dynamics. In: Fenner, M. (Ed.), Seeds: The Ecology of Regeneration in Plant Communities, 2nd Edition, CAB International 2000.
68. Creed, J.C. and G.M. Amado Filho, 1999. Disturbance and recovery of the macroflora of a seagrass (*Halodule wrightii* Ascherson) meadow in the Abrolhos Marine National Park, Brazil: an experimental evaluation of anchor damage. Journal of Experimental Marine Biology and Ecology 235: 285-306.
69. Dahl, B. and H. Blanck, ??. Toxic effects of the antifouling agent Irgarol 1051 on periphyton communities in coastal water microcosms.
70. Davis, G.W., 1992. Commercial exploitation of natural vegetation: an exploratory model for management of the wildflower industry in the Fynbos Biome of the Cape, South Africa. Journal of Environmental Management 35: 13-29.
71. Davis, R.C. and F.T. Short, 1997. Restoring eelgrass, *Zostera marina* L., habitat using a new transplanting technique: The horizontal rhizome method. Aquatic Botany 59: 1-15.
72. Davison, D.M. and D.J. Hughes, 1998. *Zostera* Biotypes: An overview of dynamics and sensitivity characteristics for conservation management of marine SACs. UK Marine SACs Project Vol. 1.
73. De Cock, A.W.A.M., 1977. Culture of *Zostera marina* L. in the laboratory. Aquaculture 12: 279-281.
74. De Cock, A.W.A.M., 1980. Flowering, pollination and fruiting in *Zostera marina* L. Aquatic Botany 9: 201-220.
75. Den Hartog, C., 1987. "Wasting Disease" and other dynamic phenomena in *Zostera* beds. Aquatic Botany 27: 3-14.
76. Den Hartog, C., 1997. Is *Sargassum muticum* a threat to eelgrass beds? Aquatic Botany 58: 37-41.
77. Dennison, W.C. and R.S. Alberte, 1985. Role of daily light period in the depth distribution of *Zostera marina* (eelgrass). Marine Ecology Progress Series 25: 51-61.
78. Dennison, W.C., 1987. Effects of light on seagrass photosynthesis, growth and depth distribution. Aquatic Botany 27: 15-26.
79. Dethier, M.N. and G.C. Schoch, 2005. The consequences of scale: assessing the distribution of benthic populations in a complex estuarine fjord. Estuarine, Coastal and Shelf Science 62: 253-270.
80. Di Carlo, G., F. Badalamenti, A.C. Jensen, E.W. Koch and S. Riggio, 2005. Colonisation process of vegetative fragments of *Posidonia oceanica* (L.) Delile on rubble mounds. Marine Biology 147: 1261-1270.
81. Dodds, W.K. and J.C. Priscu, 1990. Development and application of a technique for estimating nutrient deficiency in soft sediments. Hydrobiologia 203: 93-97.

82. Dreyer, W.A. and W.A. Castle, 1941. Occurrence of the bay scallop, *Pecten irradians*. *Ecology* 22(4): 425-427.
83. Duarte, C.M. and C.L. Chiscano, 1999. Seagrass biomass and production: a reassessment. *Aquatic Botany* 65:159-174.
84. Duarte, C.M. and K. Sand-Jensen, 1990. Seagrass colonization: patch formation and patch growth in *Cymodocea nodosa*. *Marine Ecology Progress Series* 65: 193-200.
85. Duarte, C.M. and K. Sand-Jensen, 1996. Nutrient constraints on establishment from seed and on vegetative expansion of the Mediterranean seagrass *Cymodocea nodosa*. *Aquatic Botany* 54: 279-286.
86. Duarte, C.M., 1991. Seagrass depth limits. *Aquatic Botany* 40: 363-377.
87. Duarte, C.M., 1995. Submerged aquatic vegetation in relation to different nutrient regimes. *Ophelia* 41: 87-112.
88. Duarte, C.M., 1999. Seagrass ecology at the turn of the millennium: challenges for the new century. *Aquatic Botany* 65:7-20.
89. Duarte, C.M., R. Martinez, and C. Barron, 2002. Biomass, production and rhizome growth near the northern limits of seagrass (*Zostera marina*) distribution. *Aquatic Botany* 72:183-189.
90. Duggans, D., J.E Eckman, C.E. Siddon and T. Klinger, 2001. Interactive roles of mesograzers and current flow in survival of kelps. *Marine Ecology Progress Series* 223: 143-155.
91. Dumbauld, B.R. and S. Wyllie-Echeverria, 2003 (In Press). The influence of burrowing thalassinid shrimps on the distribution of intertidal seagrasses in Willapa Bay, Washington, USA. *Aquatic Botany*
92. Eggleston, D.B., W.E. Elis, L.L. Etherington, C.P. Dahlgren, and M.H. Posey, 1999. Organism responses to habitat fragmentation and diversity: Habitat colonization by estuarine macrofauna. *Journal of Experimental Marine Biology and Ecology* 236: 107-132.
93. Elliott, J.K., E. Spears, and S. Wyllie-Echeverria, 2006. Mats of *Beggiaatoa* bacteria reveal that organic pollution from lumber mills inhibits growth of *Zostera marina*. *Marine Ecology* 27: 372-380.
94. Evidence for long-term cycles in eelgrass (*Zostera marina* L.) abundance in Massachusetts using sediment cores. (Chapter 3)
95. Ewanchuck, P.J. and S.L. Williams, 1996. Survival and re-establishment of vegetation fragments of eelgrass (*Zostera marina* L.). *Canadian Journal of Botany* 74: 1584-1590.
96. Fairchild, J.F., D.S. Ruessler, and A.R. Carlson, 1998. Comparative sensitivity of five species of macrophytes and six species of algae to atrazine, metribuzin, alachlor, and metolachlor. *Environmental Toxicology and Chemistry* 17(9): 1830-1834.
97. Figuerola, J. and A.J. Green, 2004. Effects of seed ingestion and herbivory by waterfowl on seedling establishment: a field experiment with wigeongrass *Ruppia maritime* in Donana, south-west Spain. *Plant Ecology* 173: 33-38.
98. Foggo, A., M.J. Attrill, M.T. Frost, and A.A. Rowden, 2003. Estimating marine species richness: an evaluation of six extrapolative techniques. *Marine Ecology Progress Series* 248: 15-26.

99. Fonseca, M.S. and J.S Fisher, 1986. A comparison of canopy friction and sediment movement between four species of seagrass with reference to their ecology and restoration. Marine Ecology Progress Series 29: 15-22.
100. Fonseca, M.S. and W.J. Kenworthy, 1987. Effects of current on photosynthesis and distribution of seagrasses. Aquatic Botany 27: 59-78.
101. Fonseca, M.S., B.E. Julius and W.J. Kenworthy, 2000. Integrating biology and economics in seagrass restoration: How much is enough and why? Ecological Engineering 15: 227-237.
102. Fonseca, M.S., G.W. Thayer, and A.J. Chester, 1984. Impact of scallop harvesting on eelgrass (*Zostera marina*) meadows: Implications for management. North American Journal of Fisheries Management 4: 286-293.
103. Fonseca, M.S., J.C. Zieman, G.W. Thayer, and J.S. Fisher, 1983. The role of current velocity in structuring eelgrass (*Zostera marina* L.) Meadows. Estuarine, Coastal and Shelf Science 17: 367-380.
104. Fonseca, M.S., J.S. Fisher, J.C. Zieman, and G.W. Thayer, 1982. Influence of the seagrass, *Zostera marina* L., on current flow. Estuarine, Coastal and Shelf Science 15: 351-364.
105. Fonseca, M.S., W.J. Kenworthy, and G.W. Thayer, 1992. Guidelines for the conservation and restoration of seagrasses in the United States and adjacent waters. NOAA Coastal Ocean Program, Decision Analysis Series No.12 221pp.
106. Francour, P., A. Ganteaume, and M. Poulaïn, 1999. Effects of boat anchoring in *Posidonia oceanica* seagrass beds in the Port-Cros National Park (north-western Mediterranean Sea). Aquatic Conservation: Marine and Freshwater Ecosystems 9: 391-400.
107. Fredericksen, M., D. Krause-Jensen, M. Holmer, and J.S. Laursen, 2004. Long-term changes in area distribution of eelgrass (*Zostera marina*) in Danish coastal waters. Aquatic Botany 78: 167-181.
108. Frederiksen, M.S., M. Holmer, J. Borum and H. Kennedy, 2006. Temporal and spatial variation of sulfide invasion in eelgrass (*Zostera marina*) as reflected by its sulfur isotopic composition. Limnology and Oceanography 51(5): 2308-2318.
109. Fredriksen, S., H. Christie, and C. Bostrom, 2004. Deterioration of eelgrass (*Zostera marina* L.) through destructive grazing by the gastropod *Rissoa membranacea* (J. Adams). Sarsia 89:218-222.
110. Frost, M.T., A.A. Rowden, and M.J. Attrill, 1999. Effects of habitat fragmentation on the macroinvertebrate infaunal communities associated with the seagrass *Zostera marina* L. Aquatic Conservation: Marine and Freshwater Ecosystems 9: 255-263.
111. Gaekle, J.L., F.T. Short, S.E. Ibarra-Obando and A.E. Meling-Lopez, 2006. Sheath length as a monitoring tool for calculating leaf growth in eelgrass (*Zostera marina* L.). Aquatic Botany 84: 226-232.
112. Gambi, M.C., A.R.M. Nowell, and P.A. Jumars, 1990. Flume observation on flow dynamics in *Zostera marina* (eelgrass) beds. Marine Ecology Progress Series 61: 159-169.
113. Ganter, B., 2000. Seagrass (*Zostera* spp.) as food for brent geese (*Branta bernicla*): an overview. Helgolander Marine Research 54: 63-70.

114. Garano, R.J. And R. Stritholt, 1995. Determining abundance and distribution of eelgrass (*Zostera* spp.) In Tillamook Bay Estuary, Oregon using multispectral airborne imaging. <Http://www.earthdesign.com/eelgrass.html>
115. Garcia-Esquivel, Z. and V.M. Bricelj, 1993. Ontogenetic changes in microhabitat distribution of juvenile bay scallops, *Argopecten irradians irradians* (L.), in eelgrass beds, and their potential significance to early recruitment. *Biological Bulletin* 185: 42-55.
116. Gates, K.L., 1984. A comparison of two *Zostera marina* L. seed banks in Great South Bay, New York. Master of Science Thesis, Adelphi University.
117. Goodman, J.L., K.A. Moore and W.C. Dennison, 1995. Photosynthetic responses of eelgrass (*Zostera marina* L.) to light and sediment sulfide in a shallow barrier island lagoon. *Aquatic Botany* 50: 37-47.
118. Graham, S., J. Davis, L. Deegan, J. Cebrian, J. Hughes and J. Hauxwell, 1998. Effect of eelgrass (*Zostera marina*) density on the feeding efficiency of mummichog (*Fundulus heteroclitus*). *Biological Bulletin* 195: 241-243.
119. Granata, T.C., T. Serra, J. Colomer, X. Casamitjana, C.M. Duarte and E. Gacia, 2001. Flow and particle distributions in a nearshore seagrass meadow before and after a storm. *Marine Ecology Progress Series* 218: 95-106.
120. Granger, S., M. Traber, S.W. Nixon, and R. Keyes, 2002. A practical guide for the use of seeds in eelgrass (*Zostera marina* L.) restoration. I. Collection, processing, and storage. M. Schwartze (ed.), Rhode Island Sea Grant, Narragansett, RI 20pp.
121. Granger, S.L., M.S. Traber and S.W. Nixon, 2000. The influence of planting depth and density on germination and development of *Zostera marina* L. seeds. *Biol. Mar. Medit.* 7(2): 55-58.
122. Greve, T.M. and D. Krause-Jensen, 2005. Predictive modeling of eelgrass (*Zostera marina*) depth limits. *Marine Biology* 146: 849-858.
123. Greve, T.M. and D. Krause-Jensen, 2005. Stability of eelgrass (*Zostera marina* L.) depth limits: influence of habitat type. *Marine Biology* 147: 803-812.
124. Greve, T.M., D. Krause-Jensen, M.B. Rasmussen and P.B Christensen, 2005. Means of rapid eelgrass (*Zostera marina* L.) recolonization in former dieback areas. *Aquatic Botany* 82: 143-156.
125. Griffin, K., 1997. Eelgrass ecology and commercial oyster cultivation in Tillamook Bay, Oregon: A literature review and synthesis. The Tillamook Bay National Estuary Project <Http://www.co.tillamook.or.us/gov/estuary/tbnep/oyster.html>
126. Hamburg, S.P. and P.S. Homann, 1986. Utilization of growth parameters of eelgrass, *Zostera marina*, for productivity estimation under laboratory and *in situ* conditions. *Marine Biology* 93: 299-303.
127. Hammerli, A. and T.B.H. Reusch, 2002. Local adaptation and transplant dominance in genets of the marine clonal plant *Zostera marina*. *Marine Ecology Progress Series* 242: 111-118.
128. Hammerstrom, K.K. and W.J. Kenworthy, 2003. A new method for estimation of *Halophila decipiens* Ostenfeld seed banks using density separation. *Aquatic Botany* 76: 79-86.

129. Hansen, J.W., A.-G. U. Pedersen, J.Berntsen, I.S. Ronbog, L.S. Hansen, and B.A. Lomstein, 2000. Photosynthesis, respiration, and nitrogen uptake by different compartments of a *Zostera marina* community. *Aquatic Botany* 66: 281-295.
130. Harlin, M.M. and B. Thorne-Miller, 1981. Nutrient enrichment of seagrass beds in a Rhode Island coastal lagoon. *Marine Biology* 65: 221-229.
131. Harlin, M.M. and B. Thorne-Miller, 1982. Seagrass-sediment dynamics of a flood-tidal delta in Rhode Island (U.S.A.). *Aquatic Botany* 14: 127-138.
132. Harper, J.L., J.T. Williams and G.R. Sagar, 1964. The Behaviour of Seeds in Soil: I. The heterogeneity of soil surfaces and its role in determining the establishment of plants from seeds.
133. Harrison, P.G., 1982. Control of microbial growth and of amphipod grazing by water-soluble compounds from leaves of *Zostera marina*. *Marine Biology* 67: 225-230.
134. Harrison, P.G., 1987. Natural expansion and experimental manipulation of seagrass (*Zostera* spp.) abundance and the response of infaunal invertebrates. *Estuarine, Coastal and Shelf Science* 24: 799-812.
135. Harrison, P.G., 1990. Variations in success of eelgrass transplants over a five-year period. *Environmental Conservation* 17(2): 157-163.
136. Harrison, P.G., 1991. Mechanisms of seed dormancy in an annual population of *Zostera marina* (eelgrass) from The Netherlands. *Canadian Journal of Botany* 69: 1972-1976.
137. Harrison, P.G., 1993. Variations in demography of *Zostera marina* and *Z. noltii* on an intertidal gradient. *Aquatic Botany* 45: 63-77.
138. Harwell, M.C. and R.J. Orth, 1999. Eelgrass (*Zostera marina* L.) Seed protection for field experiments and implication for large-scale restoration. *Aquatic Botany* 64: 51-61.
139. Harwell, M.C. and R.J. Orth, 2002. Long-distance dispersal potential in a marine macrophyte. *Ecology* 83(12): 3319-3330.
140. Harwell, M.C. and R.J. Orth, 2002. Seed bank patterns in Chesapeake Bay eelgrass (*Zostera marina* L.): A bay-wide perspective. *Estuaries* 25(6A): 1196-1204.
141. Hastings, K., P. Hesp, and G.A. Kendrick, 1995. Seagrass loss associated with boat moorings at Rottnest Island, Western Australia. *Ocean and Coastal Management* 26(3): 224-246.
142. Hauxwell, J., J. Cebrian and I. Valiela, 2006. Light dependence of *Zostera marina* annual growth dynamics in estuaries subject to different degrees of eutrophication. *Aquatic Botany* 84: 17-25.
143. Hauxwell, J., J. Cebrian, and I. Valiela, 2003. Eelgrass *Zostera marina* loss in temperate estuaries: relationship to land-derived nitrogen loads and effect of light limitation imposed by algae. *Marine Ecology Progress Series* 247: 59-73.
144. Haynes, D., J.Muller, and S. Carter, 2000. Pesticide and herbicide residues in sediments and seagrasses from the Great Barrier Reef World Heritage Area and Queensland coast. *Marine Pollution Bulletin* 41(7-12): 279-287.
145. Heck, K.L. Jr. and T.A. Thoman, 1981. Experiments in predator-prey interactions in vegetated aquatic habitats. *Journal of Experimental Marine Biology and Ecology* 53: 125-134.

146. Heck, K.L. Jr. and T.A. Thoman, 1984. The nursery role of seagrass meadows in the upper and lower reaches of the Chesapeake Bay. *Estuaries* 7(1): 70-92.
147. Hily, C., C. Raffin, A. Brum, and C. den Hartog, 2002. Spatio-temporal variability of wasting disease symptoms in eelgrass meadows of Brittany (France). *Aquatic Botany* 72: 37-53.
148. Hily, C., S. Connan, C. Raffin, S. Wyllie-Echeverria, 2004. In vitro experimental assessment of the grazing pressure of two gastropods on *Zostera marina* L. epiphytic algae. *Aquatic Botany* 78:183-195.
149. Holbrook, S.J., D.C. Reed, K. Hansen, and C.A. Blanchette, 2000. Spatial and temporal patterns of predation on seeds of the surfgrass *Phyllospadix torreyi*. *Marine Biology* 136: 739-747.
150. Holmer, M., M.S. Frederiksen and H. Møllegaard, 2005. Sulfur accumulation in eelgrass (*Zostera marina*) and effect of sulfur on eelgrass growth. *Aquatic Botany* 81: 367-379.
151. Hootsman, M.J.M., J.E. Vermaat and W. van Vierssen, 1987. Seed-bank development, germination and early seedling survival of two seagrass species from the Netherlands: *Zostera marina* L. and *Zostera noltii* Hornem. *Aquatic Botany* 28: 275-285.
152. Hoshika, A., M.J. Sarker, S. Ishida, Y. Mishima and N. Takai, 2006. Food web analysis of an eelgrass (*Zostera marina* L.) meadow and neighboring sites in Mitsukuchi Bay (Seto Inland Sea, Japan) using carbon and nitrogen stable isotope ratios. *Aquatic Botany* 85: 191-197.
153. Hovel, K.A., M.S. Fonseca, D.L. Myer, W.J. Kenworthy, and P.E. Whitfield, 2002. Effects of seagrass landscape structure, structural complexity and hydrodynamic regime on macrofaunal densities in North Carolina seagrass beds. *Marine Ecology Progress Series* 243: 11-24.
154. Howard, R.K., 1986. Seagrass growth and survivorship under the influence of epiphyte grazers. *Aquatic Botany* 24: 287-302.
155. Hughes, A.R. and J.J. Stachowicz, 2004. Genetic diversity enhances the resistance of a seagrass ecosystem to disturbance. *Proceedings of the National Academy of Science* 101(24): 8998-9002.
156. Hunter-Thomson, K., J. Hughes, and B. Williams, 2002. Estuarine-open-water comparison of fish community structure in eelgrass (*Zostera marina* L.) habitats of Cape Cod. *Biological Bulletin* 203: 247-248.
157. Ibarra-Obando, S.E. and C.F. Boudouresque, 1994. An improvement of the Zieman leaf marking technique for *Zostera marina* growth and production assessment. *Aquatic Botany* 47(3-4): 293-302.
158. Inglis, G.J., 2000. Disturbance-related heterogeneity in the seed banks of a marine angiosperm. *Journal of Ecology* 88: 88-99.
159. Irlandi, E.A. and C.H. Peterson, 1991. Modification of animal habitat by large plants: mechanisms by which seagrasses influence clam growth. *Oecologia* 87: 307-318.
160. Irlandi, E.A., 1993. Large- and small-scale effects of habitat structure on rates of predation: how percent coverage of seagrass affects rates of predation and siphon nipping on an infaunal bivalve. *Oecologia* 98:176-183.

161. Irlandi, E.A., 1996. The effects of seagrass patch size and energy regime on growth of a suspension-feeding bivalve. Journal of Marine Research 54: 161-185.
162. Irlandi, E.A., 1997. Seagrass patch size and survivorship of an infaunal bivalve. Oikos 78(3): 511-518.
163. Irlandi, E.A., B.A. Orlando, and W.G. Ambrose Jr., 1999. Influence of seagrass habitat patch size on growth and survival of juvenile bay scallops, *Argopecten irradians concentricus* (Say). Journal of Experimental Marine Biology and Ecology 235: 21-43.
164. Irlandi, E.A., W.G. Ambrose Jr. and B.A. Orlando, 1995. Landscape Ecology and the marine environment: How spatial configuration of seagrass habitat influences growth and survival of the bay scallop. Oikos 72(3): 307-313.
165. Iyengar, E.V. and C.D. Harvell, 2002. Specificity of cues inducing defensive spines in the bryozoan *Membranipora membranacea*. Marine Ecology Progress Series 225: 205-218. (Grazing/predation defense)
166. Jagels, R., 1983. Further evidence for osmoregulation in epidermal leaf cells of seagrasses. American Journal of Botany 70(3):327-333.
167. Jansson, M., 2xxx. Habitat availability and patch occupancy of *Zostera marina*. M.S. Thesis, Department of Marine Ecology, Goteborg University.
168. Johnson, C.R. and K.H. Mann, 1988. Diversity, patterns of adaptation, and stability of Nova Scotian kelp beds. Ecological Monographs 58(2): 129-154.
169. Johnson, D.S. and H.H. York, 1915. The relation of plants to tide level. A study of the factors affecting the distribution of marine plants. Carnegie Institution of Washington No. 206. 143pp.
170. Johnson, M.P, M. Edwards, F. Bunker, C.A. Maggs, 2005. Algal epiphytes of *Zostera marina*: Variation in assemblage structure from individual leaves to regional scale. Aquatic Botany 82: 12-26.
171. Jones, C.G., J.H Lawton, and M. Shachak, 1997. Positive and negative effects of organisms as physical ecosystem engineers. Ecology 78(7): 1947-1953.
172. Jones, C.R. and J.R. Schubel, 1980. Distributions of surficial sediment and eelgrass in Great South Bay, New York (from Smith point, west to Wantagh State Parkway). MSRC SUNY Stonybrook Special Report 39, Reference 80-6.
173. Kamermans, P., M.A. Hemminga, and D.J. de Jong, 1999. Significance of salinity and silicon levels for the growth of a formerly estuarine eelgrass (*Zostera marina*) population (Lake Grevelingen, The Netherlands). Marine Biology 133: 527-539.
174. Kimmerer, W.J., 2002. Effects of freshwater flow on abundance of estuarine organisms: physical effects or trophic linkages. Marine Ecology Progress Series 243: 39-55.
175. Kinlan, B. E. Duffy, J. Cebrián, J. Hauxwell and Ivan Valiela, 1997. Control of Periphyton on *Zostera marina* by Eastern Mud Snail, *Ilyanassa obsoleta* (Say), in a shallow temperate estuary. Biological Bulletin 193: 286-287.
176. Kirkman, H., 1996. Baseline and Monitoring methods for seagrass meadows. Journal of Environmental Management 47: 191-201.
177. Knapp, E.E. and K.J. Rice, 1994. Starting from seed: Genetic issues in using native grasses for restoration. Restoration and Management Notes 12(1): 40-45.

178. Koce, J.D., B. Vilhar, B. Bohanec, and M. Dermastia, 2003. Genome size of Adriatic seagrasses. *Aquatic Botany* 77: 17-25.
179. Koch, E.W. and S. Beer, 1996. Tides, light and the distribution of *Zostera marina* in Long Island Sound, USA. *Aquatic Botany* 53: 97-107.
180. Koch, E.W., 2001. Beyond light: Physical, geological, and geochemical parameters as possible submersed aquatic vegetation habitat requirements. *Estuaries* 24(1): 1-17.
181. Koch, E.W., C. Yarish, S. Beer, R. Troy, G. Capriullo, R. Linden and J. Rehnberg, 1995. Environmental monitoring, seagrass mapping and biotechnology as a means of fisheries habitat enhancement along the Connecticut coast. (Draft)
182. Koch, E.W., J.D. Ackerman, J. Venduin, and M. van Keulen, 2005. "Fluid Dynamics in Seagrass Ecology – from Molecules to Ecosystems" in *Seagrasses: Biology and Conservation* A.W.D. Larkum et al. (eds.) pp.193-225.
183. La Peyre, M.K. and S. Rowe, 2003. Effects of salinity changes on growth of *Ruppia maritima* L. *Aquatic Botany* 77: 235-241.
184. Lamont, B.B., R. Marsula, N.J. Enright, and E.T.F. Witkowski, 2001. Conservation requirements of an exploited wildflower: modeling the effects of plant age, growing conditions and harvesting intensity. *Biological Conservation* 99: 157-168.
185. Lazzari, M.A. and B.Z. Stone, 2006. Use of submerged aquatic vegetation as habitat by young-of-the-year Epibenthic fishes in shallow Maine nearshore waters. *Estuarine, Coastal and Shelf Science* 69: 591-606.
186. Lewis, R.R., 19xx. The potential importance of the longshore bar system to the restoration of Tampa Bay seagrass meadows.
187. Lynch, J.J. and C. Cottam, 1937. Status of eelgrass (*Zostera marina*) on the North Atlantic coast, January 1937. *Wildlife Research and Management Leaflet* BS-94, U.S. Dept. of Agriculture, Bureau of Biological Survey, Washington, D.C. 15pp.
188. Marba, N. And C.M. Duarte, 2003. Scaling ramet size and spacing in seagrasses: implications for stand development. *Aquatic Botany* 77: 87-98. [Biology & Physiology]
189. Marsh, J.A. Jr., W.C. Dennison and R.S. Alberte, 1986. Effects of temperature on photosynthesis and respiration in eelgrass (*Zostera marina* L.). *Journal of Experimental Marine Biology and Ecology* 101: 257-267.
190. Marsh, J.A. Jr., W.C. Dennison, and R.A. Alberte, 1986. Effects of Temperature on photosynthesis and respiration in eelgrass (*Zostera marina* L.). *Journal of Experimental Marine Biology and Ecology* 101: 257-267.
191. Marshall, N., 1947. An abundance of bay scallops in the absence of eelgrass. *Ecology* 28(3): 321-322.
192. Martins, I., J.M. Neto, M.G. Fontes, J.C. Marques, and M.A. Pardal, 2005. Seasonal variation in short-term survival of *Zostera noltii* transplants in a declining meadow in Portugal. *Aquatic Botany* 82: 132-142.
193. McClelland, J.W. and I. Valiela, 1998. Changes in food web structure under the influence of increased anthropogenic nitrogen inputs to estuaries. *Marine Ecology Progress Series* 168: 258-271.

194. McMillan, C., 1980. Flowering under controlled conditions by *Cymodocea serrulata*, *Halophila stipulacea*, *Syringodium isoetifolium*, *Zostera capensis* and *Thalassia hemprichii* from Kenya. *Aquatic Botany* 8: 323-336. [Culturing]
195. McMillan, C., S.C. Williams, L. Escobar and O. Zapata, 1981. Isozymes, secondary compounds and experimental cultures of Australian seagrasses in *Halophila*, *Halodule*, *Zostera*, *Amphibolis* and *Posidonia*. *Australian Journal of Botany* 29: 247-260.
196. Mechanism of eelgrass (*Zostera marina* L.) colonization: Patch dynamics and effect of disturbance. (Chapter 5?)
197. Middelboe, A.L., K. Sand-Jensen, and D. Krause-Jensen, 2003. Spatial and interannual variations with depth in eelgrass populations. *Journal of Experimental Marine Biology and Ecology* 291:1-15.
198. Mills, K.E. and M.S. Fonseca, 2003. Mortality and productivity of eelgrass *Zostera marina* under conditions of experimental burial with two sediment types. *Marine Ecology Progress Series* 255: 127-134.
199. Moore, K.A., H.A. Neckle and R.J. Orth, 1996. *Zostera marina* (eelgrass) growth and survival along a gradient of nutrients and turbidity in lower Chesapeake Bay.
200. Moore, K.A., R.J. Orth and J.F. Nowak, 1993. Environmental regulation of seed germination in *Zostera marina* L. (eelgrass) in Chesapeake Bay: effects of light, oxygen and sediment burial. *Aquatic Botany* 45: 79-91.
201. Muehlstein, L.K., D. Porter and F.T. Short, 1988. *Labyrinthula* sp., a marine slime mold producing the symptoms of wasting disease in eelgrass, *Zostera marina*. *Marine Biology* 99: 465-472.
202. Mumby, P.J., A.J. Edwards, E.P. Green, C.W. Anderson, A.C. Ellis, and C.D. Clark, 1997. A visual assessment technique for estimating seagrass standing crop. *Aquatic Conservation: Marine and Freshwater Ecosystems* 7: 239-251.
203. Murphy, M.L., S.W. Johnson, and D.J. Csepp, 2000. A comparison of fish assemblages in eelgrass and adjacent subtidal habitats near Craig, Alaska. *Alaskan Fishery Research Bulletin* Vol. 7, Summer 2000.
204. Mustart, P.J. and R.M. Cowling, 1992. Impact of flower and cone harvesting on seed banks and seed set of serotinous Agulhas Proteaceae. *South African Journal of Botany* 58(5): 337-342.
205. Nakaoka, M., 2002. Predation of seeds of seagrasses *Zostera marina* and *Zostera caulescens* by a tanaid crustacean *Zeuxo* sp. *Aquatic Botany* 72: 99-106.
206. Nakaoka, M., N. Kouchi, and K. Aioi, 2003. Seasonal dynamics of *Zostera caulescens*: relative importance of flowering shoots to net production. *Aquatic Botany* 77: 277-293.
207. Nelson, T.A. and A. Lee, 2001. A manipulative experiment demonstrates that blooms of the macroalga *Ulvaria obscura* can reduce eelgrass shoot density. *Aquatic Botany* 71: 149-154.
208. Nelson, T.A., 1997. Epiphyte-grazer interactions on *Zostera marina* (Anthophyta: Monocotyledones): Effects of density on community function. *Journal of Phycology* 33: 743-752.
209. Neubauer, A.T.A., A.G.U. Pedersen, K. Finster, R.A. Herbert, A.P. Donnelly, P. Viaroli, G. Giordani, R. de Wit, and B.A. Lomstein, 2004. Benthic decomposition

- of *Zostera marina* roots: a controlled laboratory experiment. *Journal of Experimental Marine Biology and Ecology* 313:105-124.
210. Nielsen, S.L., I. Thingstrup and C. Wigand, 1999. Apparent lack of vesicular-arbuscular mycorrhiza (VAM) in the seagrasses *Zostera marina* L. and *Thalassia testudinum* Banks ex Konig. *Aquatic Botany* 63: 261-266.
211. Nienhuis, P.H., 2006. Water and values: ecological research as the basis for water management and nature management. *Hydrobiologia* 565: 261-275.
212. Nixon, S.W., B. Buckley, S. Granger and J. Bintz, 2001. Responses of very shallow marine ecosystems to nutrient enrichment. *Human and Ecological Risk Assessment* 7(5): 1457-1481.
213. Nixon, S.W., S. Granger, B. Maynard and M. Schwartz, 2001. Density-dependent effects on grazing and success for seed generated seagrass (*Zostera marina* L.) plants. *CICEET Progress Report: 08/01/00 through 01/31/01* CICEET University of New Hampshire.
214. NRS 592. Literature Review of eelgrass (*Zostera marina*) restoration: Seeding techniques. University of Rhode Island?
215. Ochieng, C.A. and P.L.A. Erftemeijer, 1999. Accumulation of seagrass beach cast along the Kenyan coast: a quantitative assessment. *Aquatic Botany* 65:221-238.
216. Olesen, B. and K. Sand-Jensen, 1994. Biomass-density patterns in the temperate seagrass *Zostera marina*. *Marine Ecology Progress Series* 109: 283-291.
217. Olesen, B. and K. Sand-Jensen, 1994. Demography of Shallow eelgrass (*Zostera marina*) populations – shoot dynamics and biomass development. *Journal of Ecology* 82: 379-390.
218. Olesen, B. and K. Sand-Jensen, 1994. Patch dynamics of eelgrass *Zostera marina*. *Marine Ecology Progress Series* 106: 147-156.
219. Olsen, J.L., G. Procaccini, T.H.B. Reusch, and M. Waycott, 2001. Seagrass goes molecular: Report of the workshop “Population Genetics and Evolution of Seagrasses (PGES).”
220. Olsen, J.L., W.T. Stan, T.H.B. Reusch, C. Bostrum, H. Christie, N. Milchakova, E. Serrao, and S. Widdicombe, 2002. Phylogeography of eelgrass *Zostera marina* in the Northern Hemisphere. *Handout from meeting*
221. Orth, R.J., 1975. Destruction of eelgrass, *Zostera marina*, by the cownose ray, *Rhinoptera bonasus*, in the Chesapeake Bay. *Chesapeake Science* 16(3): 205-208.
222. Orth, R.J., J.R. Fishman, M.C. Harwell, and S.R. Marion, (In Press). Seed density effects on germination and initial seedling establishment in eelgrass *Zostera marina* inn the Chesapeake Bay region, USA.
223. Orth, R.J., J.R. Fishman, M.C. Harwell, and S.R. Marion, 2003. Seed-density effects on germination and initial seedling establishment in eelgrass *Zostera marina* in the Chesapeake Bay region. *Marine Ecology Progress Series* 250: 71-79.
224. Orth, R.J., K.L. Heck Jr. and J. van Montfrans, 1984. Faunal communities in seagrass beds: A review of the influence of plant structure and prey characteristics on predator-prey relationships. *Estuaries* 7(4A): 339-350.

225. Orth, R.J., K.L. Heck Jr., and D.J. Tunbridge, 2002. Predation on the seeds of the seagrass *Posidonia australis* in Western Australia. *Marine Ecology Progress Series* 244: 81-88.
226. Orth, R.J., M. Luckenbach and K.A. Moore, 1994. Seed dispersal in a marine macrophyte: implications for colonization and restoration. *Ecology* 75(7): 1927-1939.
227. Orth, R.J., M.C. Harwell, and J.R. Fishman, 1999. A rapid and simple method for transplanting eelgrass using single, unanchored shoots. *Aquatic Botany* 64: 77-85.
228. Orth, R.J., M.C. Harwell, E.M. Bailey, A. Bartholomew, J.T. Jawad, A.V. Lombana, K.A. Moore, J.M. Rhode and H.E. Woods, 2000. A review of issues in seagrass seed dormancy and germination: implications for conservation and restoration. *Marine Ecology Progress Series* 200: 277-288.
229. Orth, R.J., M.L. Luckenbach, S.R. Marion, K.A. Moore and D.J. Wilcox, 2006. Seagrass recovery in the Delmarva Coastal Bays, USA. *Aquatic Botany* 84: 26-36.
230. Orth, R.J., T.J.B. Carruthers, W.C. Denison, C.M. Duarte, J.W. Fourqurean, K.L. Heck Jr., A.R. Hughes, G.A. Kendrick, W.J. Kentworthy, S. Olyarnik, F.T. Short, M. Waycott, and S.L. Williams, 2006. A global crisis for seagrass ecosystems. *Bioscience* 56(12): 987-996.
231. Oviatt, C.A., 2004. The changing ecology of temperate coastal waters during a warming trend. *Estuaries* 27(6): 895-904.
232. Paling, E.I., M. van Keulen, K. Wheeler, J. Phillips, and R. Dyhrberg, 2001. Mechanical seagrass transplantation in Western Australia. *Ecological Engineering* 16: 331-339.
233. Paling, E.I., M. van Keulen, K.D. Wheeler, J. Phillips, and R. Dyhrberg, 2003. Influence of spacing on mechanically transplanted seagrass survival in a high wave energy regime. *Restoration Ecology* 11(1): 56-61.
234. Patterson, M.R., M.C. Harwell, L.M. Orth and R.J. Orth, 2001. Biomechanical properties of the reproductive shoots of eelgrass. *Aquatic Botany* 69: 27-40
235. Pedersen, M.F. and J. Borum, 1992. Nitrogen dynamics of eelgrass *Zostera marina* during a late summer period of high growth and low nutrient availability. *Marine Ecology Progress Series* 80: 65-73.
236. Pedersen, O., T. Binzer and J. Borum, 2004. Sulphide intrusion in eelgrass (*Zostera marina* L.). *Plant, Cell and Environment* 27: 595-602.
237. Penello, W.F. and B.H. Brinkhuis, 1979. The impact of eelgrass on heavy metal mobilization. NY Sea Grant InstituteSpecial Report 23 Reference 79-6 pp.83.
238. Perkins-Visser, E., T.G. Wolcott and D.L. Wolcott, 1996. Nursery role of seagrass beds: Enhanced growth of juvenile blue crabs.
http://www.fish.washington.edu/people/eileen/Jan_96_rewrite.html
239. Peterson, C.H., 1983. Clam predation by whelks (*Busycon* spp.): Experimental tests of the importance of prey size, prey density, and seagrass cover. *Marine Biology* 66: 159-170.
240. Peterson, C.H., H.C. Summerson and P.B. Duncan, 1984. The influence of seagrass cover on population structure and individual growth rate of a suspension

- feeding bivalve *Mercenaria mercenaria*. *Journal of Marine Research* 42(1): 123-138.
241. Peterson, C.H., R.A. Lutrich, Jr., F. Micheli and G.A. Skilleter, 2004. Attenuation of water flow inside seagrass canopies of differing structure. *Marine Ecology Progress Series* 268: 81-92.
242. Phillips, R.C. and R.L. Lewis III, 1983. Influence of environmental gradients on variations in leaf widths and transplant success in North American Seagrasses. *MTS Journal* 17(2): 59-68.
243. Phillips, R.C., and N.A. Milchakova and V.V. Alexandrov, 2006. Growth dynamics of *Zostera* in Sevastopol Bay (Crimea, Black Sea). *Aquatic Botany* 85: 244-248.
244. Phillips, R.C., C. McMillan and K.W. Bridges, 1983. Phenology of eelgrass, *Zostera marina* L., along latitudinal gradients in North America. *Aquatic Botany* 15: 145-156.
245. Pickerell, C.H., S. Schott and S. Wyllie-Echeverria, 2005. Buoy-deployed seeding: Demonstration of a new eelgrass (*Zostera marina* L.) planting method. *Ecological Engineering* 25: 127-136.
246. Pinckney, J.L. and F. Micheli, 1998. Microalgae on seagrass mimics: Does epiphyte community structure differ from live seagrasses? *Journal of Experimental Marine Biology and Ecology* 221: 59-70.
247. Pinit, P.T., R.J. Beelmwe, and G.W. Thayer, 200X. NOAA Fisheries technical guidance manual for success criteria in restoration Projects. NOAA Restoration Center, Office of Habitat Conservation, NOAA Fisheries, Silver Springs, MD (DRAFT)
248. Plus, M., J.-M. Deslous-Paoli, and F. Dagault, 2003. Seagrass (*Zostera marina* L.) Bed recolonisation after anoxia-induced full mortality. *Aquatic Botany* 77: 121-134.
249. Poiani, K.A. and W.C. Johnson, 1988. Evaluation of the emergence method in estimating seed bank composition of prairie wetlands. *Aquatic Botany* 32: 91-97.
250. Pollehnne, F. G. Jost, E. Kerstan, B. Meyer-Harms, M. Reckermann, M. Nausch and D. Wodarg, 1999. Triazine herbicides and primary pelagic interactions in an estuarine summer situation. *Journal of Experimental Marine Biology and Ecology* 238: 243-257.
251. Potin, P., K. Bouarab, J.-P. Salaun, G. Pohnert, and B. Kloareg, 2002. Biotic interactions of marine algae. *Current Opinions in Plant Biology* 5(4): 308-317.
252. Pratt, J.R., A.E. Melendez, R. Barreiro and N.J. Bowers, 1997. Predicting the ecological effects of herbicides. *Ecological Applications* 7(4): 1117-1124.
253. Preisser, M.C. and L.A. Deegan, 1995. Effect of changing plant morphology on invertebrate susceptibility to predation in eelgrass beds. *Biological Bulletin* 189: 242-243.
254. Procaccini, G., S. Acunto, P. Fama and F. Maltagliati, 1999. Structural, morphological and genetic variability in *Halophila stipulacea* (Hydrocharitaceae) populations in the western Mediterranean. *Aquatic Botany* 135: 181-189.
255. Ralph, P.J. and F.T. Short, 2002. Impact of the wasting disease pathogen, *Labyrinthula zosterae*, on the photobiology of eelgrass *Zostera marina*. *Marine Ecology Progress Series* 226: 265-271.

256. Ralph, P.J., 2000. Herbicide toxicity of *Halophila ovalis* assessed by chlorophyll *a* fluorescence. *Aquatic Botany* 66: 141-152.
257. Ralph, P.J., R. Gademann and W.C. Dennison, 1998. In situ seagrass photosynthesis measured using a submersible, pulse-amplitude modulated fluorometer. *Marine Biology* 132: 367-373.
258. Ramage, D.L. and D.R. Schiel, 1999. Patch dynamics and response to disturbance of the seagrass *Zostera novazelandica* on intertidal platforms in southern New Zealand. *Marine Ecology Progress Series* 189: 275-288.
259. Rasmussen, Erik, 1977. The wasting disease of eelgrass (*Zostera marina*) and its effects on environmental factors and fauna. In: McRoy, C. P. and C. Helfferich (eds.), Seagrass Ecosystems, a Scientific Perspective, Dekker, NY.
260. Reed, B.J. and K.A. Hovel, 2006. Seagrass habitat disturbance: how loss and fragmentation of eelgrass *Zostera marina* influences epifaunal abundance and diversity. *Marine Ecology Progress Series* 326: 133-143.
261. Reusch, T.B.H. and A.R.O. Chapman, 1995. Storm effects on eelgrass (*Zostera marina* L.) and blue mussel (*Mytilus edulis* L.) beds. *Journal of Experimental Marine Biology and Ecology* 192: 257-271.
262. Reusch, T.B.H., 2003. Floral Neighbourhoods in the sea: How floral density, opportunity for outcrossing and population fragmentation affect seed set in *Zostera marina*. *The Journal of Ecology* 91(4): 610-615.
263. Reusch, T.B.H., A.R.O. Chapman, and J.P. Groger, 1994. Blue mussels *Mytilus edulis* do not interfere with eelgrass *Zostera marina* but fertilize shoot growth through biodeposition. *Marine Ecology Progress Series* 108: 265-282.
264. Reusch, T.B.H., W.T. Stam and J.L. Olsen, 1998. Size and estimated age of genets in eelgrass, *Zostera marina*, assessed with microsatellite markers. *Marine Biology* 133: 519-525.
265. Rhode, J. and J.E. Duffy, 2004. Seed production from the mixed mating system of Chesapeake Bay (USA) eelgrass (*Zostera marina*; Zosteraceae). *American Journal of Botany* 91(2): 192-197.
266. Risgaard-Petersen, N., T. Dalsgaard, S. Rysgaard, P.B. Christensen, J. Borum, K. McGlathery and L.P. Nielsen, 1998. Nitrogen balance of a temperate eelgrass *Zostera marina* bed. *Marine Ecology Progress Series* 174: 281-291.
267. Robbins, B.D. and S.S. Bell, 2000. Dynamics of a subtidal seagrass landscape: seasonal and annual change in relation to water depth. *Ecology* 81(5): 1193-1205.
268. Roberts, M.H. Jr., R.J. Orth and K.A. Moore, 1984. Growth of *Zostera marina* L. seedlings under laboratory conditions of nutrient enrichment. *Aquatic Botany* 20: 321-328.
269. Robertson, A.I. and K.H. Mann, 1984. Disturbance by ice and life-history adaptations of the seagrass *Zostera marina*. *Marine Biology* 80:131-141.
270. Safran, R.E., J.C. Legra and I. Valiela, 1998. Effects of nitrogen loading on eelgrass seed coat abundance, C to N ratios, and $\delta^{15}\text{N}$ in sediments of Waquoit Bay. *Biological Bulletin* 195: 245-246.
271. Safran, R.E., J.C. Legra and I. Valiela, 1998. Effects of nitrogen loading on eelgrass seed coat abundance, C to N ratios, and $\delta^{15}\text{N}$ in sediments of Waquoit Bay. *Biological Bulletin* 195: 245-246.

272. Sand-Jensen, K. and T. Vindbaek Madsen, 1992. Patch dynamics of the stream macrophyte, *Callitricha cophocarpa*. Freshwater Biology 27: 277-282.
273. Schmid, B. and F.A. Bazzaz, 1987. Clonal integration and population structure in perennials: effects of severing rhizome connections. Ecology 68(6): 2016-2022.
274. Schneider, F.I. and K.H. Mann, 1991. Rapid recovery of fauna following simulated ice rafting in a Nova Scotian seagrass bed. Marine Ecology Progress Series 78:57-70.
275. Schwartz, J.C., xxxx. The historical effects and future implications of nitrogen inputs on the eelgrass communities of West Falmouth Harbor, MA.
276. Setchell, W.A., 1927. *Zostera marina latifolia*: ecad or ecotype? Bulletin of the Torrey Botanical Club 54(1): 1-6.
277. Setchell, W.A., 1929. Morphological and phenological notes on *Zostera marina* L. University of California Publication in Botany 14:389-452.
278. Shehata, S.A., M.A. El-Dib and H.F. Abou Waly, 1997. Effect of certain herbicides on the growth of freshwater algae. Water, Air, and Soil Pollution 100: 1-12.
279. Sheldon, J.C., 1973. The Behaviour of Seeds in Soil: III. The influence of seed morphology and the behaviour of seedlings on the establishment of plants from surface-lying seeds.
280. Short, F.T. and D.M. Burdick, 1996. Quantifying eelgrass habitat loss in relation to housing development and nitrogen loading in Waquoit Bay, Massachusetts. Estuaries 19(3): 730-739.
281. Short, F.T. and H.A. Neckles, 1999. The effects of global climate change on seagrasses. Aquatic Botany 63: 169-196.
282. Short, F.T., B.W. Ibelings, and C. den Hartog, 1988. Comparison of a current eelgrass disease to the wasting disease in the 1930s. Aquatic Botany 30: 295-304.
283. Short, F.T., E.W. Koch, J.C. Creed, K.M. Magalhaes, E. Fernandez and J.L. Gaeckle, 2006. SeagrassNet monitoring across the Americas: case studies of seagrass decline. Marine Ecology 27: 277-289.
284. Shreffler, D.K. and R. Thom, 1995. Estuarine Restoration: A landscape perspective. Puget Sound Research '95 pp. 702-712.
285. Siberhorn, G.M., S. Dewing and P.A. Mason, 1996. Production of reproductive shoots, vegetative shoots, and seeds in populations of *Ruppia maritime* L. from the Chesapeake Bay, Virginia. Wetlands 16(2): 232-239.
286. Silva, J. and R. Santos, 2003. Daily variation patterns in seagrass photosynthesis along a vertical gradient. Marine Ecology Progress Series 257:37-44.
287. Society for Ecological Preservation Science and Policy Workgroup, 2002. The SER primer on ecological restoration. www.ser.org/.
288. Stankelis, R.M., W.R. Boynton, and J.M. Frank, No Date. Submerged Aquatic Vegetation (SAV) habitat evaluation. DNR/EPC level 1 No. 16.
289. Stapel, J. and M.A. Hemminga, 1997. Nutrient resorption from seagrass leaves. Marine Biology 128: 197-206.
290. Stauffer, R.C., 1937. Changes in the invertebrate community of a lagoon after disappearance of the eelgrass. Ecology 18(3): 427-431.

291. Steneck, R.S., M.H. Graham, B.J. Bourque, D. Corbett, J.M. Erlandson, J.A. Estes and M.J. Tegner, 2002. Kelp forest ecosystems: biodiversity, stability, resilience and future. Environmental Conservation 29(4): 436-459.
292. Stephan, C.D., R.L. Peuser, and M.S. Fonseca, 2001. Evaluating fishing gear impacts to submerged aquatic vegetation and determining mitigation strategies. Atlantic States Marine Fisheries Commission Habitat Management Series #5.
293. Sutton, D.L., 1991. Culture and growth of pickerelweed from seedlings. Journal of Aquatic Plant Management 29: 39-42.
294. Tanner, C.C. and J.S. Clayton, 1985. Effects of vesicular-arbuscular mycorrhizas on growth and nutrition of a submerged aquatic plant. Aquatic Botany 22: 377-386.
295. Taylor, D.I., S.W. Nixon, S.L. Granger, B.A. Buckley, J.P. McMahon and H.-J. Lin, 1995. Responses of coastal lagoon plant communities to different forms of nutrient enrichment - a mesocosm experiment. Aquatic Botany 52: 19-34.
296. Terrados, J. C.M. Duarte, L. Kamp-Nielsen, N.S.R. Agawin, E.Gacia, D. Lacap, M.D. Fortes, J. Borum, M. Lubanski, and T.Greve, 1999. Are seagrass growth and survival constrained by the reducing conditions of the sediment? Aquatic Botany 65:175-197.
297. Thom, R. T.L. Parkwell, D.K. Niyogi and D.K. Schreffler, 1994. Effects of graveling on the primary productivity, respiration and nutrient flux of two estuarine tidal flats. Marine Biology 118: 329-341.
298. Thom, R., 2000. Adaptive management of coastal ecosystem restoration projects. Ecological Engineering 15: 365-372.
299. Thom, R., B. Miller and M. Kennedy, 1995. Temporal patterns of grazers and vegetation in a temperate seagrass system. Aquatic Botany 50: 201-205.
300. Thom, R.M., G.W. Williams and H.L. Diefenderfer, 2005. Balancing the need to develop coastal areas with desire for ecologically functioning coastal environment: Is net ecosystem improvement possible? Restoration Ecology 31(1): 193-203.
301. Thomas, J.P., 1995. Remote sensing and relating coastal development to living marine resources and their habitats. Natural Areas Journal 15(1): 21-36.
302. Thomas, M.L.H. and F.H. Page, 1983. Grazing by the gastropod, *Lacuna vincta*, in the lower intertidal area at Musquash Head, New Brunswick, Canada. Journal of the Marine Biological Association of the United Kingdom 63: 725-736.
303. Thompson, K., 1986. Small-scale heterogeneity in the seed bank of an acidic grassland. Journal of Ecology 74: 733-738.
304. Thompson, K., 1987. Seeds and Seed Banks. New Phytologist 106(Suppl.): 23-34.
305. Tiner, R.W., H.C. Bergquist, D. Siraco, and B.J. McClain, 2003. An inventory of submerged aquatic vegetation and hardened shorelines for the Peconic Estuary, NY.
306. Tomlinson, P.B., 1974. Vegetative morphology and meristem dependence – the foundation of productivity in seagrasses. Aquaculture 4: 107-130.
307. Toth, G.B. and H. Pavia, 2002. Intraplant habitat and feeding preference of two gastropod herbivores inhabiting the kelp *Laminaria hyperborea*. Journal of the Marine Biological Association of the United Kingdom 82: 243-247.

308. Touchette, B.W. and J. Burkholder, 2001. Nitrate reductase activity in a submersed marine angiosperm: Controlling influences of environmental and physiological factors. Plant Physiology and Biochemistry 39: 583-593.
309. Touchette, B.W. and J.M. Burkholder, 2002. Seasonal variations in carbon and nitrogen constituents in eelgrass (*Zostera marina* L.) As influenced by increased temperature and water-column nitrate. Botanica Marina 45: 23-34.
310. Touchette, B.W. and J.M. Burkholder, 2000a. Review of nitrogen and phosphorus metabolism in seagrasses. Journal of Experimental Marine Biology and Ecology 250: 133-167.
311. Touchette, B.W. and J.M. Burkholder, 2000b. Overview of the physiological ecology of carbon metabolism in seagrasses. Journal of Experimental Marine Biology and Ecology 250: 169-205.
312. Tracy, M., J.M. Montante, T.E. Allenson, and R.A. Hough, 2003. Long-term responses of aquatic macrophyte diversity and community structure to variation in nitrogen loading. Aquatic Botany 77: 43-52.
313. Turner, T., 1983. Facilitation as a successional mechanism in a rocky intertidal community. The American Naturalist 121(5): 729-738.
314. Tutin, T.G., 1938. The autecology of *Zostera marina* in relation to its wasting disease. New Phytologist 37: 50-71.
315. Udy, J.W. and W.C. Dennison, 1997. Physiological responses of seagrasses used to identify anthropogenic nutrient inputs. Marine and Freshwater Research 48: 605-614.
316. Uhrin, A.V. and J.G. Holmquist, 2003. Effects of propeller scarring on macrofaunal use of the seagrass *Thalassia testudinum*. Marine Ecology Progress Series 250: 61-70.
317. Unknown, 2002. Evolutionary genetics of eelgrass clones in the Baltic Sea. Doctoral Dissertation, Christian-Albrechts University in Kiel, 141pp.
318. Unknown, 2003. On the uses of *Zostera marina*, mainly in Norway. Economic Botany 57(4): 640-645.
319. van Alstyne, K.L., S.L. Whitman and J.M. Ehlig, 2001. Differences in herbivore preferences, phlorotannin production and nutritional quality between juvenile and adult tissues from marine brown algae. Marine Biology 139: 201-210.
320. van Katwijk, M.M. and D.C.R. Hermus, 2000. Effects of water dynamics on *Zostera marina*: transplantation experiments in the intertidal Dutch Wadden Sea. Marine Ecology Progress Series 208: 107-118.
321. van Katwijk, M.M. and L.J.M. Wijgergangs, 2004. Effects of locally varying exposure, sediment type and low-tide water cover on *Zostera marina* recruitment from seed. Aquatic Botany 80: 1-12.
322. van Katwijk, M.M., L.H.T. Vergeer, G.H.W. Schmitz and J.G.M. Roelofs, 1997. Ammonium toxicity in eelgrass *Zostera marina*. Marine Ecology Progress Series 157: 159-173.
323. van Keulen, M. and M.A. Borowitzka, 2003. Seasonal variability in sediment distribution along an exposure gradient in a seagrass meadow in Shoalwater Bay, Western Australia. Estuarine, Coastal and Shelf Science 57: 587-592.

324. van Keulen, M., E.I. Paling and C.J. Walker, 2003. Effectos of Unit size and sediment stabilization on seagrass transplants in Western Australia. Restoration Ecology 11: 50-55.
325. van Lent, F. and J.M. Verschuure, 1995. Comparative study on the populations of *Zostera marina* L. (eelgrass): experimental germination and growth. Journal of Experimental Marine Biology and Ecology 185: 77-91.
326. Vaundry, J. T.S. Getchis, B. Britton and J. Kremer, 2006. Assessing impacts of shellfish aquaculture on eelgrass population in eastern Long Island Sound. From the Proceedings of the NE Aquaculture Seminar, Milford, CT.
327. Vergeer, L.H.T and A. Develi, 1997. Phenolic acids in healthy and infected leaves of *Zostera marina* and their growth-limiting properties toward *Labyrinthula zosterae*. Aquatic Botany 58: 65-72.
328. Vergeer, L.H.T., T.L. Aarts and J.D. de Groot, 1995. The ‘wasting disease’ and the effect of abiotic factors (light intensity, temperature, salinity) and infection with *Labyrinthula zosterae* on the phenolic content of *Zostera marina* shoots. Aquatic Botany 52: 35-44.
329. Vichkovitten, T. and M. Holmer, 2005. Dissolved and particulate organic matter in contrasting *Zostera marina* (eelgrass) sediments. Journal of Experimental Marine Biology and Ecology 316: 183-201.
330. Waksman, S.A., H.W. Reuszer, C.L. Carey, M. Hotcheiss, W.F. Bruce and C.E. Renn, 1933. Investigations in Marine Bacteriology. Woods Hole Oceanographic Institute, Report for the Year 1933, pp. 34-36.
331. Walker, D.I., K.A. Hillman, G.A. Kendrick, and P. Lavery, 2001. Ecological significance of seagrasses: Assessment for the management of environmental impact in Western Australian. Ecological Engineering 16: 323-330.
332. Walker, D.I., R.J. Lukatelich, G. Bastyan and A.J. McComb, 1989. Effect of boat moorings on seagrass beds near Perth, Western Australian. Aquatic Botany 36: 69-77.
333. Walsh, G.E., D.L. Hansen and D.A. Lawrence, 1982. A flow-through system for exposure of seagrass to pollutants. Marine Environmental Research 7: 1-11.
334. Ward, T.J., ?????. Chapter 23: The accumulation and effects of metals in seagrass habitats. ??????????????????????
335. Wear, D.J., M.J. Sullivan, A.D. Moore and D.F. Millie, 1999. Effects of water-column enrichment on the production dynamics of three seagrass species and their epiphytic algae. Marine Ecology Progress Series 179: 201-213.
336. Wigand, C. and A.C. Churchill, 1988. Laboratory studies on eelgrass seed and seedling predation. Estuaries 11(3): 180-183.
337. Wigand, C. and J.C. Stevenson, 1994. The presence and possible ecological significance of mycorrhizae of the submerged macrophyte, *Vallisneria americana*. Estuaries 17(1B): 206-215.
338. Williams, B.S., J.E. Hughes and K. Hunter-Thomson, 2002. Influence of epiphytic algal coverage on fish predation rates in simulated eelgrass habitats. Biological Bulletin 203:248-249.
339. Williams, S.L. and C.A. Davis, 1996. Population genetic analyses of transplanted eelgrass (*Zostera marina*) beds reveal reduced genetic diversity in southern California. Restoration Ecology 4(2): 163-180.

340. Williams, S.L. and R.J. Orth, 1998. Genetic diversity and structure of natural and transplanted eelgrass populations in the Chesapeake and Chincoteague Bays. *Estuaries* 21(1): 118-128.
341. Willson, M.F. and A. Traveset, 2000. The ecology of seed dispersal. In *Seeds: The Ecology of Regeneration in Plant Communities*, 2nd Edition (ed., M Fenner), CAB International.
342. Wittstock, U. and J. Gershenson, 2002. Constitutive plant toxins and their Role in defense against herbivores and pathogens. *Current Opinion in Plant Biology* 5(4): xxx-xxx.
343. Woodhead, J.L. and K.T. Bird, 1998. Efficient rooting and acclimation of micropropagated *Ruppia maritima* Loisel. *Journal of Marine Biotechnology* 6: 152-156.
344. Worcester, S.E., 1995. Effects of eelgrass beds on advection and turbulent mixing in low current and low shoot density environments. *Marine Ecology Progress Series* 126: 223-232.
345. Worm, B. and T.B.H. Reusch, 2000. Do nutrient availability and plant density limit seagrass colonization in the Baltic Sea? *Marine Ecology Progress Series* 200: 159-166.
346. Wyllie-Echeverria, S., P.A. Cox, A.C. Churchill, J.D. Brotherson and T. Wyllie-Echeverria, 2003. Seed size variation within *Zostera marina* L. (Zosteraceae). *Botanical Journal of the Linnean Society* 142: 281-288.
347. Zimmerman, R.C., J.L. Reguzzoni, S. Wyllie-Echeverria, M. Josselyn and R.S. Alberte, 1991. Assessment of environmental suitability for growth of *Zostera marina* L. (eelgrass) in San Francisco Bay. *Aquatic Botany* 39: 353-366.